

Luxtone Vinyl Flooring

M.H. Southern & Co. Ltd.


MHS

Timber Importers & Sawmillers
since 1913

MHSouthern.co.uk

Luxtone Vinyl Flooring Collection

Built using the latest technologies, combining a flexible but rigid core with improved installation and a stronger joint than traditional SPC.



Phthalatfree

Sound Absorbing

Waterproof

Easy to Maintain

Slip Resistance

Lightfast 7/8



Advantages


- Next Generation Core Technology**
Rigid but flexible which benefits installation as well as how the floor sits against the subfloor.
- Lighter but Stronger**
Less dense but with a stronger core layer, the boards are less brittle than traditional SPC and reduce damage and claims.
- Advanced Ceramic PUR Coating**
Providing extra protection against scratches, stains and UV damage.
- Commercially Rated***
All Luxtone floors are rated as standard.
- More Stable**
25% more stable than SPC equivalent.
- Better Sound Insulation**
10% reduction in impact and reflective sound.
- Natural Embossed Surface Designs**
Each board comes with a natural embossed texture for a more realistic look and feel.
- Soft Touch Feel**
Comfort soft touch surface for luxury feel.
- Licensed LOC Systems**
Uniclic and Unidrop licensed locking systems
- Environmentally Friendly**
Less weight to reduce your carbon footprint.

Five Key Benefits over Regular SPC Vinyl Floors

Performance Attribute	Standard	Regular SPC	Luxtone SPC	Advantages
Density	EN 430	2.10g/cm ³	1.55g/cm³	+25% Less Weight
Surface Treatment	-	UV	PUR	Advanced Ceramic Coating
Dimension Stability (80°C/6H)	EN 434 / ISO23999	< 0.10%	< 0.08%	25% More Stable
Slip Resistance	DIN 51130	R9	R10	R10 Slip Resistance
Acoustic Impact Noise Reduction	ASTM E492-2009	IIC = 58	IIC = 64	10% Improved Sound Reduction

Structure

- PUR Coating**
Advanced ceramic PUR coating provides extra protection against scratches, stains and UV damage.
- Wear Layer**
Commercial rating on all products as standard (0.55mm wear layer).
- Decor Layer**
Natural Embossed surface designs with added texture.
- Next-gen SPC Core**
Next generation core technology, still rigid but flexible, which benefits both installation and how the floor sits against the subfloor (less reflective sound as it contours the underfloor better).
- Built-in Underlay**
Built in IXPE underlay reduces both reflective and transmitted noise for an enhanced living experience.



Sizes



Plank
4.5+1mm x 180 x 1220mm



Tile
4.5+1mm x 457 x 914mm



Herringbone
4.5+1mm x 122 x 610mm



Produced under license of Unilin - EP nr. 0843763/US.patent nr. 6,006,486




GATESHEAD
0191 489 8231
Green Lane Sawmills,
Felling, Gateshead NE10 0JS

BERWICK UPON TWEED
01289 307401
Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY

Email
sales@MHSouthern.co.uk



Visit our website
MHSouthern.co.uk
Timber Importers & Sawmillers
since 1913



Luxtone Planks

Dimensions:
4.5+1mm x 180 x 1220mm



Nimbus Oak



Smoked Oak



English Oak



Latte Oak



Pure Satin Oak



Boat Shack Oak



Pebble Grey Oak



Washed/Smoked Oak



Luxtone Herringbone

Dimensions:
4.5+1mm x 122 x 610mm



Boat Shack Oak



Latte Oak



English Oak



Nimbus Oak

DID YOU KNOW? Luxtone Flooring has a **+15% Reduced Carbon Footprint** over equivalent SPC flooring.



Code Product Description

LVFPNO	Planks Nimbus Oak 5.5 x 180 x 1220mm Flooring 2.196m ² per pack
LVFPPO	Planks Smoked Oak 5.5 x 180 x 1220mm Flooring 2.196m ² per pack
LVFPEO	Planks English Oak 5.5 x 180 x 1220mm Flooring 2.196m ² per pack
LVFPLO	Planks Latte Oak 5.5 x 180 x 1220mm Flooring 2.196m ² per pack
LVFPPO	Planks Pure Satin Oak 5.5 x 180 x 1220mm Flooring 2.196m ² per pack
LVFPBSO	Planks Boat Shack Oak 5.5 x 180 x 1220mm Flooring 2.196m ² per pack
LVFPPOGO	Planks Pebble Grey Oak 5.5 x 180 x 1220mm Flooring 2.196m ² per pack
LVFPWSO	Planks Washed/Smoked Oak 5.5 x 180 x 1220mm Flooring 2.196m ² per pack

Code Product Description

LVFHBSO	Herringbone Boat Shack Oak 5.5 x 122 x 610mm Flooring 1.935m ² per pack
LVFHEO	Herringbone English Oak 5.5 x 122 x 610mm Flooring 1.935m ² per pack
LVFHLO	Herringbone Latte Oak 5.5 x 122 x 610mm Flooring 1.935m ² per pack
LVFHNO	Herringbone Nimbus Oak 5.5 x 122 x 610mm Flooring 1.935m ² per pack



GATESHEAD

0191 489 8231

Green Lane Sawmills,
Felling, Gateshead NE10 0JS

BERWICK UPON TWEED

01289 307401

Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY

Email


sales@MHSouthern.co.uk



Visit our website

MHSouthern.co.uk

Timber Importers & Sawmillers
since 1913



Luxtone Tiles


Dimensions:
4.5+1mm x 457 x 914mm



Kalahari Stone



Urban Concrete



Graphite Stone



Frosted Stone

DID YOU KNOW? Luxtone Flooring is **100% Waterproof & 25% more stable** than equivalent SPC flooring.



Matching Thresholds & Beading

Small but impactful elements that elevate the overall look and feel of your space while adding warmth and personality.



T-Bar

Use the T-Bar to connect two floors of the same height. Ideal for use in door openings, or in rooms where the length and width exceeds the products maximum span.



Semi-Ramp

Use the Semi-Ramp profile to connect two floors that slightly differ in height, where full reduction is not required. For example between your vinyl floor and a carpet.



Ramp

Use the ramp profile to connect two floors that greatly differ in height. For example a vinyl floor to a ceramic tile.



End

Use this profile to finish the edge of your flooring against a hard object, such as a cabinet, sliding doors or the perimeter of your room to hide the expansion gap.

Code Product Description

LVFTFS	Tile Frosted Stone 5.5 x 457 x 914mm Flooring 2.506m ² per pack
LVFTGS	Tile Graphite Stone 5.5 x 457 x 914mm Flooring 2.506m ² per pack
LVFTKS	Tile Kalahari Stone 5.5 x 457 x 914mm Flooring 2.506m ² per pack
LVFTUC	Tile Urban Concrete 5.5 x 457 x 914mm Flooring 2.506m ² per pack



Code Product Description

LVF4-1P*	4-in-1 Profile 46 x 1930 x 7mm (5-12mm)
LVFQP*	Quadrant Profile 18 x 18 x 2400mm



*All of our Profiles are available to match your flooring. Please contact us for the correct profile codes.



GATESHEAD
0191 489 8231
Green Lane Sawmills,
Felling, Gateshead NE10 0JS


BERWICK UPON TWEED
01289 307401
Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY

Email
sales@MHSouthern.co.uk



Visit our website
MHSouthern.co.uk
Timber Importers & Sawmillers
since 1913

Delivery



Rates

Orders below the minimum order value of £550 will be subject to a freight contribution of £45.

Deliveries to UK Mainland residential addresses will be subject to a £45 freight contribution no matter the order value.

If you are located outside of the dark red areas shown on the map, additional charges may occur.

Additional Service Surcharge

Saturday	£60
Next Day	£20
Single Packs	£20
Highlands & Islands.....	PLEASE CALL

Disclaimer

Please note that the pricing information provided is subject to change. We always strive to provide accurate pricing, however factors such as market fluctuations, availability and supplier costs can influence the price.

Version 7.1



GATESHEAD

0191 489 8231

Green Lane Sawmills,
Felling, Gateshead NE10 0JS

BERWICK UPON TWEED

01289 307401

Unit BT71 Tweedside Trading Estate,
Berwick upon Tweed TD15 2UY